

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1



FIG. 2




FIG. 3

LOCAL OSCILLATOR FREQUENCIES:	
Station 1 = 70.176 GHz	
Station 2 = 70.203 GHz	
Station 3 = 70.230 GHz	
↓	↓
Station 31 = 70.986 GHz	
Station 32 = 71.013 GHz	




FIG. 4





FIG. 5




FIG. 6




FIG. 7





FIG. 8



-24.000 ns 1.000 ns 26.000 ns


5.00 ns/div Real time

2 200 mV/

0.00000 V

RECEIVER SIGNAL FROM BERT 200

FIG. 9



-4.000 ns 1.000 ns 6.000 ns

1.00 ns/div Real time

2 500 mV/

0.00000 V

RECEIVER SIGNAL FROM BERT 200

FIG. 10




FIG. 11A

RECEIVER (STATION A)




FIG. 11B1




FIG. 11B2

TRANSMITTER (STATION B)




FIG. 12A

RECEIVER (STATION B)




FIG. 12B1

CONTINUED FROM
FIG. 12B1




FIG. 12B2

SPECTRUM PLANNING DIAGRAMS (STATION A)





FIG. 13A

SPECTRUM PLANNING DIAGRAMS (STATION B)





FIG. 13B